

Motion detectors

SensIQ KNX

EVO Anthracite

EAN 4007841 056643

STEINEL[®]
PROFESSIONAL



infrared sensor 3 x
100°



3 zones scalable
2-20m



KNX



IP54



2 - 2000 lux



ideal 2 - 5 m



energy saving



manufacturer's
warranty
steinel-professional.de/garantie



CE

Function description

The king of motion detectors. The revolutionary sensIQ for indoors and outdoors, ideal for building entrances, loading bays, for mounting heights of up to 5 m, quadruple sensor system for optimum surveillance over a 300° coverage angle, 20 m reach (tangential), reach setting to the accuracy of a metre in 3 independent directions, powerful relay for high switching capacity. Including remote control and corner wall mount.

SensIQ KNX

EVO Anthracite

EAN 4007841 056643

Technical specifications

Type	Motion detectors
Type of accessory	Corner adapter
Dimensions (L x W x H)	144 x 113 x 172 mm
Sensor Technology	passive infrared
Application, place	Indoors
Application, place, room	multi-storey / underground car park, outdoors, warehouse, front door, all round the building, courtyard & driveway, Indoors
Installation site	wall, ceiling, corner
Installation	Surface wiring
Switching zones	1360 switching zones
Electronic scalability	No
Mechanical scalability	Yes
Mounting height	2,00 – 5,00 m
Optimum mounting height	5 m
Detection angle	300 °
Angle of aperture	90 °
Sneak-by guard	Yes
Capability of masking out individual segments	Yes
Reach, detail	Reach adjustable from 2 - 20 m in 3 directions (100° in each)
Reach, radial	r = 4 m (42 m ²)

Twilight setting TEACH	Yes
Twilight setting	2 – 2000 lx
Constant-lighting control	Yes
Basic light level function	Yes
Basic light level function time	1-255 min
KNX functions	Light output 2x, Presence output, Light level, Constant-lighting control, Basic light level function, Photo-cell controller, Close range, Individual pyro evaluation
With bus coupling	Yes
Settings via	ETS software, Remote control, Bus, Smart Remote
With remote control	Yes
Interconnection	Yes
IP-rating	IP54
Material	Plastic
Ambient temperature	-20 – 50 °C
Colour	Anthracite
IDs, certificates	VDE
Manufacturer's Warranty	5 years
Version	Anthracite
PU1, EAN	4007841056643

Accessories

EAN 4007841 009151	Remote control Smart Remote
EAN 4007841 007638	Remote control RC9

Motion detectors


SensiIQ KNX

EVO Anthracite

EAN 4007841 056643

STEINEL[®]
PROFESSIONAL

Detection Zone



Mögliche Montagehöhe: 2,00 m – 5,00 m

Orange: radial

Schwarz: tangential

3 skallerbare Zonen

Dimension Drawing

